

Work Trucks Fleet Trucks HD Trailers Emergency

2.05

0.65"

The S21 incorporates high-end LEDs and circuit board materials, sealed in extra-thick polycarbonate to produce a tough and reliable LED lighting solution at an exceptional price. Next-generation LEDs provides a superior brightness level several times the required specification. You can use the light as-is, or dress it up with a high-polish stainless steel snap-on cover to give it that 'finished' look. **See www.TecNiqInc.com for complete details and a complete list of part numbers.**





Technical features

- Solution Sol
- ✤ Exceeds FMVSS 108 standards
- STecSeal Urethane Potting guarantees circuit board protection

- Second Se
- Seliable performance for over 100,000 hours

Specifications

opecifications			166" 0.65"	
Dimensions:	2.05" x 1.17" x 0.65" (see diagram)		\$0.70"	
LEDs:	1	LECNID 231	Wire Hole	
Voltage:	9 - 14V DC			
Current:	0.04A-0.07A Red/Amber	 ✓ 1.375″ → 		
Connector:	9" Pigtail		California Proposition 65	
Mounting:	Surface mounted with 1.375" hole spacing		WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, birth defects or other reproductive harm	
LED colors:	Red & Amber			

Part Numbers	Description	Std Pack	Connector Type
S21-AA00-1	2" Oval Amber Sidemarker Amber Lens Pigtail Connection	100	Sheathed Pigtail
S21-AAG0-1	2" Oval Amber Sidemarker Amber Lens Self Grounding	100	Pigtail/ Self grounded
S21-RR00-1	2" Oval Red Sidemarker Red Lens Pigtail Connection	100	Sheathed Pigtail
S21-RRG0-1	2" Oval Red Sidemarker Red Lens Self Grounding	100	Pigtail/ Self grounded

